Operator: NORTHERN ILLINOIS GAS CO.	Operator ID#: 13710
Inspection Date(s): 1/29/2013, 1/30/2013, 1/31/2013	Man Days: 3
Inspection Unit: Carthage	
Location of Audit: Carthage	
Exit Meeting Contact: David Schoof	
Inspection Type: Standard Inspection - Record Audit	
Pipeline Safety Representative(s): Kevin Ketchum	
Company Representative to Receive Report: Leticia Quezada	
Company Representative's Email Address: Iquezad@aglresources.com	

Headquarters Address Information:	P. O. Box 190	
	Rt. 59 & I-88	
	Aurora, IL 60507	
	Emergency Phone#:	
	Fax#:	
Official or Mayor's Name:	Ralph Cleveland	
	Phone#: (000) 000-0000	
	Email:	
Inspection Contact(s)	Title	Phone No.
David Schoof	Area Supervisor	(217) 357-3105

Gas System Operations	Status
Category Comment:	
These records will be checked during the Sycamore record audit.	
Gas Transporter	Not Checked
Annual Report (Form 7100.1-1) reviewed for the year:	Not Checked
Unaccounted for Gas	Not Checked
Number of Services	Not Checked
Miles of Main	Not Checked
Is the operator maintaining documentation verifying their Maximum Allowable Operating Pressure(s)? (MAOP)	Not Checked

Operating Pressure	(Feeder)	Not Checked
Operating Pressure	(Town)	Not Checked
Operating Pressure	(Other)	Not Checked
MAOP (Feeder)		Not Checked
MAOP (Town)		Not Checked
MAOP (Other)		Not Checked
Does the operator have any transmission pipelines?		Yes
Regulatory Reporting Records		Status
Category Comment:		
These records will be che	ecked during the Sycamore record audit.	
191.5	Were Telephonic Notices of Incidents reported to the NRC (800-424-8802)?	Not Checked
191.9(a)	Was a DOT Incident Report Form F7100.1 submitted within 30 days after detection of an incident?	Not Checked
191.9(b)	Were any supplemental incident reports submitted when deemed necessary?	Not Checked
Did the operator hav	e any plastic pipe failures in the past calendar year?	Not Checked
Did the operator take components?	e action to mitigate safety concerns relating to the failure of the PE or pipeline	Not Checked
191.23(a)	Did the operator report Safety Related Conditions?	Not Checked
191.25	Did the Operator file a Safety Related Condition Report within 5 working days of determination, but not later than 10 working days after discovery?	Not Checked
192.16(c)	Customer Notification: Has the operator notified each new customer within 90 days about the customer's responsibility regarding buried piping, however, operators of a master meter may continuously post a general notice in a permanent location?	Not Checked
	DRUG TESTING	Status
Refer to Drug and A	cohol Inspection Forms and Protocols	Not Checked
General Comment:		
These records are in the	Naperville office and will be checked at a later date.	
	TEST REQUIREMENTS	Status
192.517(a)	Are pressure test records being maintained for piping operating above 100 psig?	Not Checked
General Comment:		
These records will be che	ecked during the Sycamore record audit.	

Unless otherwise noted, all code references are to 49CFR Part 192. If an item is marked Unsatisfactory, Not Applicable, or Not Checked, an explanation must be included in this report.

192.517(b)	Are pressure test records being maintained for at least 5 years on piping operating below 100 psig?	Satisfactory
192.603(b)	Were service lines temporarily disconnected from the main properly tested prior to reconnection?	Not Checked
General Comment:		
Reinstating service lines i	ecords will be checked during the Sycamore Audit.	
	UPRATING	Status
Category Comment:		
Carthage did not conduct	any uprating activities in 2012.	
192.555	Has the operator maintained documentation of uprating activities when uprating a pipe to a pressure that will produce a hoop stress of 30% or more SMYS?	Not Applicable
192.557	Has the operator maintained documentation of uprating activities when uprating a pipe to a pressure that will produce a hoop stress of less than 30% SMYS?	Not Applicable
	OPERATIONS	Status
Category Comment:	<u> </u>	
The operations and maint be checked in Naperville.	enance manual records are in Naperville and will be checked at a later date. A review of personnel work of th	e O & M procedures will
192.603(b)	Has the operator conducted a review of the Operations and Maintenance Manual once per yr/15 months?	Not Checked
Has the operator cor	nducted a review of the Operator Qualification Plan once per yr/15 months?	Not Checked
192.603(b)	Are construction records, maps, and operating history available to operating personnel?	Not Checked
192.603(b)	Has the operator periodically reviewed personnel's work to determine the effectiveness of normal O&M procedures when deficiencies are found?	Not Checked
	CONTINUING SURVEILLANCE RECORDS	Status
Category Comment:	·	
These records will be che	cked in the Naperville office.	
192.603(b)	Has the operator reviewed continuing surveillance records for class location changes, failures, leak history, corrosion, changes in cathodic protection, and other unusual operating and maintenance conditions?	Not Checked
192.491	Does the operator have records verifying if exposed cast iron was examined for evidence of graphitization and if necessary what appropriate action was taken concerning graphitization?	Not Checked
192.603(b)	Does the operator have surveillance records of cast iron pipelines, including appropriate action resulting from tracking circumferential cracking failures, study of leak history, or any other unusual operating and maintenance	Not Checked

NORTHERN ILLINOIS GAS CO./1-31-2013

	conditions?	
192.603(b)	Is each cast iron caulked bell and spigot joint that is subject to a pressure of more than 25 (psig.) sealed as required?	Not Checked
192.603(b)	Is each cast iron caulked bell and spigot joint that is subject to a pressure of 25 (psig.) or less and is exposed for any reason sealed as required?	Not Checked
QI	UALIFICATION OF PIPELINE PERSONNEL	Status
Category Comment:	·	
These records will be checked duri	ng the Sycamore record audit.	
Refer to operator Qualification	on Inspection Forms and Protocols	Not Checked
	DAMAGE PREVENTION RECORDS	Status
Category Comment:		
These records will be checked duri	ng the Sycamore record audit.	
192.603(b)	Did the operator track the number of damages per 1000 locate requests for the previous years?	Not Checked
Has the number of damages	s increased or decreased from prior year?	Not Checked
192.603(b)	Does the operator track records of accidents due to excavation damage to ensure causes of failures are addressed to minimize the recurrence?	Not Checked
192.603(b)	Does the operator provide documentation pertaining to notification of excavation, marking, positive response, and the availability and use of the one call system?	Not Checked
Does the operator have a Q facilities?	uality Assurance Program in place for monitoring the locating and marking of	Not Checked
Do pipeline operators includ	e performance measures in facility locating contracts?	Not Checked
IL ADM. CO.265.100(b)(1)	Was third party damage to mains involving a release of gas reported to ICC JULIE Enforcement? http://www.icc.illinois.gov/julie/	Not Checked
Has the Operator adopted a	pplicable section of the Common Ground Alliance Best Practices?	Not Checked
If no, were Common Ground	Alliance Best Practices discussed with Operator?	Not Checked
	EMERGENCY PLANS	Status
Category Comment:		
Training of operating personnel red Sycamore office.	cords are in Naperville as are records of employee activities after emergency. Response times will be	checked in the
192.603(b)	Are supervisors, responsible for emergency action, furnished copies of the latest edition of the Emergency Plan?	Not Checked
192.603(b)	Has the operator maintained documentation that the appropriate operating personnel have received training to assure they are knowledgeable of emergency procedures and that the training was effective?	Not Checked

192.603(b)	Has the operator maintained documentation of employee activity reviews to determine whether the procedures were effectively followed in each emergency?	Not Checked
192.603(b)	Has the operator maintained documentation that the operator established and maintained liaison with appropriate fire, police and other public officials?	Not Checked
192.603(b)	Did the review of emergency response time intervals regarding odor/leak complaint documentation indicate adequate emergency response intervals were achieved?	Not Checked
	PUBLIC AWARENESS PROGRAM - RECORDS	Status
Category Comment:		
These records are kept in t	the Naperville office and will be checked at a later date.	
Refer to Public Aware	eness Program Inspection Forms and Protocols	Not Checked
	ODORIZATION OF GAS	Status
192.603(b)	Has the operator maintained documentation of odorant concentration level testing using an instrument?	Not Checked
General Comment:		
Odorization records will be	checked during the Sycamore audit.	
192.603(b)	Has the operator maintained documentation of odorizer tank levels?	Not Checked
General Comment: Odorization records will be	checked during the Sycamore audit.	
192.603(b)	Are master meter operators receiving written verification of odorant concentration levels from their gas supplier?	Not Applicable
General Comment:		
Nicor is not a master meter	r operator.	
192.603(b)	Has the master meter operator maintained documentation of sniff tests performed as required by this section?	Not Applicable
General Comment:		
Nicor is not a master mete	r operator.	
	PATROLLING & LEAKAGE SURVEY	Status
Category Comment: These records will be chec	ked during the Sycamore audit.	
192.603(b)	Is the operator patrolling business districts at a minimum of 4 per year/4 1/2 months?	Not Checked
192.603(b)	Is the operator patrolling outside business districts at a minimum of 2 per	Not Checked

	year/7 1/2 months?	
192.603(b)	Is the operator performing leakage surveys in business districts at a minimum of 1 per year/ 15 months? If the operator has inside meter sets that meet this criterion then were those surveyed?	Not Checked
192.603(b)	Is the operator performing leakage surveys outside a business district at a minimum of every 5 years/63 months? Is the operator performing leakage surveys on cathodically unprotected pipelines at a minimum of every 3 years/39 months? If the operator has inside meter sets that meet this criterion then were those surveyed? If the operator has yard lines then are those being surveyed?	Not Checked
	YARD LINES - RESIDENTIAL	Status
Category Comment:	<u> </u>	
These records will be checked duri	ng the Sycamore Audit.	
220 ILCS 2.2.03	Has the operator designated and documented the location of all services where the meter is located more than 3 feet away from the wall of a residence?	Not Checked
192.463,220 ILCS 2.2.03	Has the operator determined if cathodic protection is required on these services?	Not Checked
192.723(b)(1),192.723(b)(2)	After the determination of the cathodic protection requirements, has the operator surveyed each line within the required leakage survey intervals?	Not Checked
ABANDONM	ENT or DEACTIVATION of FACILITIES PROCEDURES	Status
Category Comment: These records will be checked duri	ng the Sycamore Audit.	
192.603(b)	Did the operator maintain documentation demonstrating that each pipeline abandoned in place was disconnected from all sources and supplies of gas, and purged of gas?	Not Checked
192.603(b)	Did the operator maintain documentation demonstrating that each inactive pipeline that is not being maintained under this part was disconnected from all sources and supplies of gas; purged of gas?	Not Checked
192.603(b)	Did the operator maintain documentation demonstrating that whenever service to a customer was discontinued access to gas was either; locked, prevented by a mechanical fitting, or disconnected from the gas supply and open pipe ends sealed?	Not Checked
192.603(b)	Did the operator maintain documentation when air was used for purging that a combustible mixture was not present after purging?	Not Checked
192.727(g)	Did the operator maintain documentation for each abandoned onshore pipeline facility that crosses over, under or through a commercially navigable waterway?	Not Checked
	PRESSURE LIMITING AND REGULATION	Status

Unless otherwise noted, all code references are to 49CFR Part 192. If an item is marked Unsatisfactory, Not Applicable, or Not Checked, an explanation must be included in this report.

192.603(b)	calculation reviews documented at a minimum of 1 per year/15 months? Is each distribution system supplied by more than one district pressure	
192.603(b)	regulating station, or where required by the operator on a system supplied by a single regulating station, equipped with telemetering or recording pressure	Satisfactory
	gauges to indicate the gas pressure in the district?	
192.603(b)	If there were indications of abnormally high- or low-pressure, were actions taken to correct any unsatisfactory operating conditions?	Satisfactory
192.603(b)	Is overpressure protection provided by the supplier pipeline downstream of the take point?	No
General Comment:	<u> </u>	
The operator has schede	le with NPL, Inc to install a relief device at the take point later this year.	
192.603(b)	If Yes, does the operator have documentation to verify that these devices have adequate capacity?	Not Applicable
General Comment:		
The operator has sched	le with NPL, Inc to install a relief device at the take point later this year.	
	VALVE MAINTENANCE	Status
192.603(b)	Did the operator inspect and maintain distribution valves necessary for the safe operation of the system at a minimum of 1 per year/15 months?	Status Satisfactory
192.603(b) General Comment:	Did the operator inspect and maintain distribution valves necessary for the	
General Comment:	Did the operator inspect and maintain distribution valves necessary for the	
General Comment:	Did the operator inspect and maintain distribution valves necessary for the safe operation of the system at a minimum of 1 per year/15 months?	
General Comment: Staff reviewed the opera	Did the operator inspect and maintain distribution valves necessary for the safe operation of the system at a minimum of 1 per year/15 months? tor's valve inspection records for 2012. Did the operator inspect and maintain vaults > 200 cubic feet at a minimum of	Satisfactory
General Comment: Staff reviewed the opera 192.603(b)	Did the operator inspect and maintain distribution valves necessary for the safe operation of the system at a minimum of 1 per year/15 months? tor's valve inspection records for 2012. Did the operator inspect and maintain vaults > 200 cubic feet at a minimum of 1 per year/15 months?	Satisfactory
General Comment: Staff reviewed the opera 192.603(b) General Comment:	Did the operator inspect and maintain distribution valves necessary for the safe operation of the system at a minimum of 1 per year/15 months? tor's valve inspection records for 2012. Did the operator inspect and maintain vaults > 200 cubic feet at a minimum of 1 per year/15 months?	Satisfactory
General Comment: Staff reviewed the opera 192.603(b) General Comment:	Did the operator inspect and maintain distribution valves necessary for the safe operation of the system at a minimum of 1 per year/15 months? tor's valve inspection records for 2012. Did the operator inspect and maintain vaults > 200 cubic feet at a minimum of 1 per year/15 months? ot contain vaults.	Satisfactory Not Applicable
General Comment: Staff reviewed the operal 192.603(b) General Comment: Carthage system does re	Did the operator inspect and maintain distribution valves necessary for the safe operation of the system at a minimum of 1 per year/15 months? tor's valve inspection records for 2012. Did the operator inspect and maintain vaults > 200 cubic feet at a minimum of 1 per year/15 months? ot contain vaults. Investigation Of Failures	Satisfactory Not Applicable Status
General Comment: Staff reviewed the operal 192.603(b) General Comment: Carthage system does re 192.603(b) General Comment:	Did the operator inspect and maintain distribution valves necessary for the safe operation of the system at a minimum of 1 per year/15 months? tor's valve inspection records for 2012. Did the operator inspect and maintain vaults > 200 cubic feet at a minimum of 1 per year/15 months? ot contain vaults. Investigation Of Failures	Satisfactory Not Applicable Status

NORTHERN ILLINOIS GAS CO./1-31-2013

Page 7 of 10

Unless otherwise noted, all code references are to 49CFR Part 192. If an item is marked Unsatisfactory, Not Applicable, or Not Checked, an explanation must be included in this report.

192.603(b)	Does the operator have documentation for their qualified welding procedure?	Not Checked
192.603(b)	Does the operator have documentation of welder qualification documentation as required?	Not Checked
192.709	Does the operator have documentation of NDT personnel qualification as required?	Not Checked
192.709	Does the operator have documentation of NDT testing performed?	Not Checked
	JOINING OF MATERIAL OTHER THAN WELDING	Status
Category Comment:	·	
These records will be ch	necked in the Elgin and Naperville offices.	
192.603(b)	Are persons making joints with plastic pipe qualified?	Not Checked
192.603(b)	Are persons inspecting plastic pipe joints qualified?	Not Checked
192.603(b)	Are qualified joining procedures for plastic pipe in place?	Not Checked
	CORROSION CONTROL RECORDS	Status
192.491(a)	cathodic protection facilities, galvanic anodes, and neighboring structures bonded to the cathodic protection system?	Not Checked
192.491(a)		Not Checked
192.491		
	Has the operator maintained documentation of an examination when buried	Not Checked
102 401	pipe was exposed?	Not Checked
192.491		Not Checked
	pipe was exposed? Has the operator maintained documentation of annual pipe-to-soil monitoring performed at a minimum of 1 per yr/15 months and/or isolated services or	
192.491 192.491 192.491	pipe was exposed? Has the operator maintained documentation of annual pipe-to-soil monitoring performed at a minimum of 1 per yr/15 months and/or isolated services or short sections of main less than 100 feet at a minimum of 10% annually? Has the operator maintained documentation of rectifier or other impressed	Not Checked
192.491 192.491	pipe was exposed? Has the operator maintained documentation of annual pipe-to-soil monitoring performed at a minimum of 1 per yr/15 months and/or isolated services or short sections of main less than 100 feet at a minimum of 10% annually? Has the operator maintained documentation of rectifier or other impressed current power sources inspections at a minimum of 6 per year/ 2 1/2 months? Has the operator maintained documentation of each critical interference bond, reverse current switch, diode, etc. inspections at a minimum of 6 per year/ 2 1/2 months and/or non-critical interference bond inspections at a minimum of	Not Checked
192.491	pipe was exposed? Has the operator maintained documentation of annual pipe-to-soil monitoring performed at a minimum of 1 per yr/15 months and/or isolated services or short sections of main less than 100 feet at a minimum of 10% annually? Has the operator maintained documentation of rectifier or other impressed current power sources inspections at a minimum of 6 per year/ 2 1/2 months? Has the operator maintained documentation of each critical interference bond, reverse current switch, diode, etc. inspections at a minimum of 6 per year/ 2 1/2 months and/or non-critical interference bond inspections at a minimum of 1 per year/15 months? Has the operator taken prompt remedial actions to correct any deficiencies	Not Checked Not Checked

NORTHERN ILLINOIS GAS CO./1-31-2013

Unless otherwise noted, all code references are to 49CFR Part 192. If an item is marked Unsatisfactory, Not Applicable, or Not Checked, an explanation must be included in this report.

192.491	Does the operator have a sufficient number of test stations or other contact points for electrical measurement to determine the adequacy of cathodic protection?	Not Checked
192.491	Has the operator maintained documentation of corrective actions taken when a test lead is no longer electrically conductive?	Not Checked
192.491	Has the operator maintained documentation of inspections or tests to assure their cathodic protection system is not affecting adjacent underground metallic structures?	Not Checked
192.491	Has the operator maintained documentation of investigations or steps taken to minimize internal corrosion due to transportation of corrosive gas?	Not Checked
192.491	Has the operator maintained documentation of internal surface inspections performed when pipe is removed for any reason?	Not Checked
192.491	Has the operator maintained documentation of internal corrosion coupon monitoring at a minimum of 2 per year/ 7 1/2 months?	Not Checked
192.491	Has the operator maintained documentation of atmospheric corrosion control monitoring at a minimum of 1 per 3 years/ 39 months?	Not Checked
192.491	Has the operator maintained documentation of corrective action where atmospheric corrosion was discovered?	Not Checked
192.491	Has the operator maintained documentation demonstrating that pipe removed due to external corrosion has been repaired or replaced with pipe that was coated and cathodically protected?	Not Checked
	TRAINING - 83 IL ADM. CODE 520	Status
520.10(a) (1)	Has the operator maintained documentation demonstrating that personnel have received adequate training?	Not Checked
General Comment:	<u> </u>	
Training records will be chec	ked in the Naperville office.	
520.10(a) (2)	Do training records include verbal instruction and/or on the job training for	
	each job classification?	Not Checked
General Comment:		Not Checked
General Comment: Training records will be chec	each job classification?	Not Checked
	each job classification?	Not Checked Not Applicable
Training records will be chec	each job classification? ked in the Naperville office. Has the municipal operator maintained documentation demonstrating that	
Training records will be chec 520.10(b)	each job classification? ked in the Naperville office. Has the municipal operator maintained documentation demonstrating that personnel have received adequate training?	
Training records will be chected 520.10(b) General Comment:	each job classification? ked in the Naperville office. Has the municipal operator maintained documentation demonstrating that personnel have received adequate training?	
Training records will be chected 520.10(b) General Comment: Nicor is not a municipal ope	each job classification? ked in the Naperville office. Has the municipal operator maintained documentation demonstrating that personnel have received adequate training? rator. Are procedures periodically updated to include new materials, new methods	Not Applicable

NORTHERN ILLINOIS GAS CO./1-31-2013

Unless otherwise noted, all code references are to 49CFR Part 192. If an item is marked Unsatisfactory, Not Applicable, or Not Checked, an explanation must be included in this report.

NORTHERN ILLINOIS GAS CO./1-31-2013 Page 10 of 10